# WASHROOM PRODUCTS BROCHURE

**GRAB RAILS** 

SUPPORT RAILS

**SHOWER SEATS** 

**SHOWER RAILS** 

**ACCESSORIES** 

GRIMSBY BRANCH TEL. 01472 241212 grimsbysales@vikinghardware.com HULL BRANCH TEL. 01482 221231 hullsales@vikinghardware.com SCUNTHORPE BRANCH TEL. 01724 850583

scunthorpesales@vikinghardware.com


www.vikinghardware.com

# VIKING HARDWARE



#### Single Arm Hinged Support Rail

- Stainless Steel for use in wet or damp areas. Mild Steel for use in dry areas.
- 35mm tubular construction for superior strength and confidence.
- Hinged rails are tested to 170kg in vertical and 45 degree positions.
- Die-cast Aluminium Backplate for strength and rigidity.








#### Double Arm Hinged Support Rail


- Mild Steel for use in dry areas.
- 35mm tubular construction for superior strength and confidence.
- Hinged rails are tested to 170kg in vertical and 45 degree positions.
- Die-cast Aluminium Backplate for strength and rigidity.





Stainless Steel for use in wet or damp areas.

- 35mm tubular construction for superior strength and confidence.
- Hinged rails are tested to 170kg in vertical and 45 degree positions.
- Drop Down Leg can be adjusted to 680, 700, and 750mm heights with further micro adjustment of 40mm.
- Die-cast Aluminium Backplate for strength and rigidity.






Single Arm Hinged Support Rail with Drop Down Leg





RAL Colour

- Mild Steel for use in dry areas.
- 35mm tubular construction for superior strength and confidence.
- Hinged rails are tested to 170kg in vertical and 45 degree positions.
- Drop Down Leg can be adjusted to 680, 700, and 750mm heights with further micro adjustment of 40mm.
- Die-cast Aluminium Backplate for strength and rigidity.





Double Arm Hinged Support Rail with Drop Down Leg




# VIKING



#### Double Arm Hinged Support Rail

- Stainless Steel for use in wet or damp areas.
- 35mm tubular construction for superior strength and confidence.
- Hinged rails are tested to 170kg in vertical and 45 degree positions.
- Fully Stainless Steel Backplate for ultimate durability.











Other finishes Sateen Polish

- Stainless Steel for use in wet or damp areas.
- 35mm tubular construction for superior strength and confidence.
- Hinged rails are tested to 170kg in vertical and 45 degree positions.
- Fully Stainless Steel Backplate for ultimate durability.



#### Friction Single Arm Hinged Support Rail



SS 760mm

32901MP

- Easy to use friction action.
- Fully stainless steel backplate for ultimate durability.
- Strong tubular construction.
- Ideal for use in wet or damp areas.
- Tested to 120kg in vertical and 45 degree positions. This does not include customer fixings.








#### Friction Shower Seat



49879 760mm



- Stainless Steel for use in wet or damp areas.
- 35mm tubular construction for superior st rength and confidence.
- Hinged rails are tested to 170kg in vertical and 45 degree positions.
- Fully Stainless Steel Backplate for ultimate durability.






#### Slotting Action Shower Seat



| SS | without Drop Down Legs | 49800 |
|----|------------------------|-------|
| SS | with Drop Down Legs    | 49725 |

- Stainless Steel frame with Aluminium backplates.
- Seats with drop down legs have adjustable height: 490-550mm (to top of seat) and additional feet adjustment of up to ± 20mm.
- Load tested to a vertical drop weight of 170kg. This does not include customer fixings.
- Plastic seat, removable for easy cleaning.
- White seat as standard. Black and Blue RAL 5011 seats also available.




Other finishes

RAL Colour

## **Compact Shower Seat**



- Adjustable height: 460-550mm (to top of seat) with additional feet adjustment of up to ± 20mm.
- Can be folded into the upright position.
- Maximum recommended load 190kg.
   This does not include customer fixings.
- Plastic seat, removable for easy cleaning.
- Backplate bolt holes are drilled for M8 bolts.
   (Fixings not supplied)




| SS | with Padded Seat  | 49950 |
|----|-------------------|-------|
| SS | with Plastic Seat | 49940 |

## Padded Shower Seat with Arms and Backrest




- Adjustable height of 457-510mm (to top of seat)
   with additional feet adjustment of up to 20mm
- Can be folded into the upright position.
- Tested to a vertical drop weight of 190kg.
   This does not include customer fixings.





#### 25mm Grab Rail

- Mild Steel for use in dry areas. Stainless
   Steel for use in wet or damp areas.
- 25mm tube diameter for slender hands and added elegance.
- Strong tubular construction with robust welded flanges for lasting strength and performance.
- Optional ribbed grip for extra stability and confidence.
- Available with concealed fixings.





|    |             | White   | Chrome Plate   |
|----|-------------|---------|----------------|
|    |             | virille | Cilionie Flate |
| MS | 300mm       | 15100   | 13000          |
| MS | 450mm       | 15300   | 13200          |
| MS | 600mm       | 15400   | 13300          |
| +  | with Ribbed | Grip    |                |
| MS | 300mm       | 15800   | 13700          |
| MS | 450mm       | 16000   | 13900          |

#### 35mm Grab Rail

- Mild steel for use in dry areas. Stainless
   Steel for use in wet or damp areas.
- 35mm tube diameter for superior strength and confidence.
- Strong tubular construction with robust welded flanges for lasting strength and performance.
- Optional ribbed grip for extra stability and confidence.
- Available with concealed fixings.

## Other finishes








|    |                          | White  | Blue - RAL 5011 | Mirror Polish | Sateen Polish |
|----|--------------------------|--------|-----------------|---------------|---------------|
| MS | 300mm                    | 21800  | 21801           | 21400         | NA            |
| MS | 450mm                    | 21900  | 21901           | 21500         | NA            |
| MS | 600mm                    | 22000  | 22001           | 21600         | NA            |
| MS | 900mm                    | 22110  | 22111           | 21750         | NA            |
| SS | 300mm                    | 30700  | 31260           | 29500         | 30050         |
| SS | 450mm                    | 30800  | 31261           | 29600         | 30055         |
| SS | 600mm                    | 31000  | 31262           | 29800         | 30060         |
| +  | + with Concealed Fixings |        |                 |               |               |
| MS | 600mm                    | 22000C | 22001C          | NA            | NA            |

#### Flat End Grab Rail



| Straight Grab Rail |       |       |  |
|--------------------|-------|-------|--|
| MS                 | 300mm | 12100 |  |
| MS                 | 450mm | 12200 |  |
| MS                 | 600mm | 12300 |  |
| Offset Grab Rail   |       |       |  |
| MS                 | 300mm | 12700 |  |
| MS                 | 450mm | 12800 |  |

- Mild Steel for use in dry areas.
- Available in polyester coated finish or white LDPE (dipped plastic coating).







#### Fluted Plastic Grab Rail

- Fluted Plastic grab rail.
- Concealed fixings.
- Available in white or Blue RAL 5011 only.



| Fluted Plastic Grab Rail |       |  |  |
|--------------------------|-------|--|--|
| 300mm                    | 32640 |  |  |
| 450mm                    | 32650 |  |  |
| 600mm                    | 32660 |  |  |






| Fluted Plastic Grab Rail |       |  |  |
|--------------------------|-------|--|--|
| 300mm                    | 32635 |  |  |
| 450mm                    | 32636 |  |  |
| 600mm                    | 32637 |  |  |


#### Newell Rail





- Mild Steel for use in dry areas.
- Strong tubular construction with robust welded flanges for lasting strength and performance.






## L Shaped Grab Rail

 $\bigcirc$ White

| Left Handed  |             |       |  |
|--------------|-------------|-------|--|
| MS           | 400 x 800mm | 39520 |  |
| Right Handed |             |       |  |
| Right H      | landed      |       |  |

- Mild Steel for use in dry areas. Stainless Steel for use in wet or damp areas.
- Strong tubular construction with robust welded flanges for lasting strength and performance.
- Optional ribbed grip for extra stability and confidence.



Left handed

shown











#### **Towel Ring**

Chrome Plate 61300

- Mild Steel.
- 150mm diameter towel ring.

#### Double Robe Hook

Chrome Plate 53500

- Zinc Die-cast
- (H) 55mm.

#### Knowle Single Toilet Roll Holder

60300MP Mirror Polish

Curved to match the Knowle Grab Rail range with elegant over sized end cap retains the toilet roll.







#### Medium Toilet Roll Holder

50100 Chrome Plate

- Zinc Die-cast. Black plastic roller.
- (W) 136mm x (D) 76mm.

#### Heavy Toilet Roll Holder

|--|

- Zinc Die-cast. Black plastic roller.
- (W) 145mm x (D) 78mm.

#### Locking Toilet Roll Holder

| Chrome Plate | 50900 |
|--------------|-------|
|              |       |

- Zinc Die-cast. Wooden roller.
- Allen key supplied.
- (W) 145mm x (D) 78mm.

#### Aluminium Toilet Roll Holder


| Brushed Aluminium | 51210 |
|-------------------|-------|

- Black plastic roller.
- (W) 136mm x (D) 83mm.




#### **Towel Rail**

Mild Steel for use in dry areas.








| C | Other | finish | es    |
|---|-------|--------|-------|
|   | Whi   | te Pol | yeste |



#### Ball End Towel Rail






| 19mm Towel Rail |       |       |  |  |
|-----------------|-------|-------|--|--|
| MS              | 450mm | 55000 |  |  |
| MS              | 600mm | 55100 |  |  |
| MS              | 750mm | 55200 |  |  |


- Mild Steel tube with Zinc Die-cast brackets.
- 25mm available on request.

# VIKING HARDWARE

#### Shower Rail

- We recommend that only stainless steel curtain rails be used in wet or damp areas. Mild Steel for use in dry areas.
- Curtain Rails are modular and are joined using black connectors to aid delivery and installation (Chrome Plate has two connectors, other finishes have one).





#### Ceiling Stay

| White Polyester  |          |       |  |  |
|--|----------|-------|--|--|
| SS   | 500mm    | 66120 |  |  |
| Mirror Polished  |          |       |  |  |
| SS   | 500mm    | 66110 |  |  |
| <ul> <li>Ceiling stays are recommended on larger sizes and in shower scenarios.</li> <li>Ceiling Stays are 500mm but can be manufactured to customer specification.</li> </ul> |          | 500   |  |  |
| Other  | finishes |       |  |  |



#### **Shower Curtain**

| Plastic Satin Finish   |       |  |
|------------------------|-------|--|
| 914 x 1830mm           | 65350 |  |
| 1830 x 1830mm          | 65360 |  |
| Polyester 4oz Weighted |       |  |
| 1830 x 1830mm          | 65390 |  |

- 914mm curtains require 6 hooks.
- 1830mm satin plastic curtains require 10 hooks.
- 1830mm polyester curtains require 12 hooks.
- Please note, curtain hooks are not included and must be ordered separately.
- Suitable for wet or dry areas.





#### Curtain Hooks


Sateen Polish


| Plastic Curtain Hooks |  |  |
|-----------------------|--|--|
|                       |  |  |
|                       |  |  |

- Brass for use with 25mm tube.
- Plastic for use with 25mm and 35mm tube.



#### 35mm Back Rest Rail





- Stainless Steel for use in wet or damp areas. Mild Steel for use in dry areas.
- Strong tubular construction with robust welded flanges for lasting strength and performance.





#### **Back Rest Cushion**

Waterproof Cushion 49702

- Water resistant foam.
- 355mm x 160mm x 35mm.

# VIKING




#### 35mm Yardley Grab Rail

- Minimum projection distance from the wall for when space is at a
- Stylish, low profile cover plates.
- Perfectly shaped machined support legs.

|    | Mirror Polish |         |  |
|----|---------------|---------|--|
| SS | 300mm         | 19000MP |  |
| SS | 450mm         | 19001MP |  |
| SS | 600mm         | 19002MP |  |









#### 35mm Yardley 3 Flange Grab Rail

- Minimum projection distance from the wall for when space is at a premium.
- Stylish, low profile cover plates.
- Perfectly shaped machined









Sateen Polish ○ White Polyester RAL Colour


### Matt Black Products



#### 35mm Yardley Grab Rail

- Minimum projection distance from the wall for when space is at a premium.
- Stylish, low profile cover plates.
- Perfectly shaped machined support legs.








#### Yardley Single Toilet Roll Holder

- Matches the Yardley Grab Rail
- Elegant over sized end cap retains the toilet roll.








## Corner WC Doc M Pack - Low Level


Low Level Pack includes:

- 1x 760mm Double Arm
- 1x Backrest\* 240 x 400 x 240mm
- 3x/4x Grab Rails 600mm x 35mm











British Standard 8300:2009, Building Regulations 2000 Access To and Use of Buildings (2004 Edition)

## Bespoke Products

We normally deal with three sorts of bespoke requests, product variants, new/bespoke designs and non-standard colours. These products due to their bespoke nature may incur additional engineering charges, but we will make these charges clear in your quotation.

#### **Product Variants**

The most common request is for a variation to an existing product. This includes minor specification changes for example - a little longer grab rail, a slightly different angle or a change of position to the fixturing. In most of these cases we can provide an answer same day, and the price is likely to be similar to our standard product ranges.

#### Bespoke Design

Using our flange and tube system we have the ability to bend, add flanges and add ribbing which means we can manufacture any number of bespoke configurations. Working with our designers you can commission a completely unique rail to fit your scenario.

#### **Bespoke Colours**

We are able to manufacture most of our products in a RAL colour of your choosing. For any RAL colours other than White RAL 9016 and Blue RAL 5011 there is a coating surcharge of £20 for small quantities. Where this applies you will be advised at the point of ordering. Larger quantities will not attract any coating surcharge.

#### **RAL Colours**

This list is not exhaustive, please contact us if the required colour is not listed.

